

# Billi™

Instant boiling, chilled, ambient and sparkling filtered drinking water systems.



# Billi drinking water appliances

## Vision, Mission and Statement of Values

### “ Our Vision

Billi is committed to be the market leader in value-added water delivery systems globally.

### Our Mission

As a progressive and innovative organisation, Billi is committed to making a meaningful contribution to the betterment of our customers and society through excellence and high achievement in our people, our products, and our purpose. We provide the premium product in design, reliability and desirability, and support this with a world-class customer service experience.

### Statement of Values

**Respect and teamwork** - to respect the individuals and promote teamwork within the organisation.

**Customer service** - to deliver world-class customer service.

**Excellence** - commitment to pursue our goals with the objective of achieving these in a superior way.

**Innovation** - commitment to never rest in our development of innovative products and services.

”





### **The Billi story**

At Billi, we design and manufacture a range of energy efficient filtered water systems that offer our customers the very best in innovation, superior performance and reliability.

For more than 25 years, we have maintained a commitment to excellence and quality that is second to none. Our award winning filtered water systems are preferred by designers and architects for their elegant styling and space saving design.

Billi launched the world's first under counter boiling and chilled water system in the early 1990s. It was instantly recognised as a premium product because of its high functionality, energy efficiency and space-saving design. From that first product, the range has grown to serve the smallest kitchen or work environment, up to the largest buildings with the highest demand.

Today, we continue to innovate. Our designs keep pace with modern building techniques, contemporary interior concepts and changing lifestyle choices. And importantly, all our products continue to incorporate improved eco-technology features.

From design to manufacture, distribution and installation, every Billi water system is created to last. We offer premium after sales assistance and product support, ensuring that our valued relationship with our customers doesn't end at purchase.

Billi - the ultimate drinking water solution.

# Your environment

## Billi's environmental focus

There is no need to compromise your lifestyle to reduce your carbon footprint. Billi is renowned for its eco focus, ensuring our sustainable appliances go beyond water and energy saving. We aim for low environmental impact and to enhance the enjoyment of your personal surroundings.

## Environmentally sustainable design principles

Every new product is designed to meet ecologically sustainable development guidelines. By considering composition and construction of each component to every unit, Billi achieves a very low carbon footprint. Individual parts are recyclable and bear globally recognised codes.

## Harvest and reuse energy

Chilling water creates waste heat energy. Billi's patented technology recovers and reuses energy to preheat the boiling water, thereby saving energy.

Effective water and energy saving initiatives help meet UK Green Building Council objectives. Billi filtered water dispensers offer unique power consumption advantages:

- Thermodynamic Heat-exchange technology recovers and reuses heat energy;
- High performance polyethylene insulation holds water temperature and saves energy.
- Stand-by mode conserves power during set non use periods.

## You and your environment

Billi lets you enjoy pure, clean water in commercial environments without costly environmental impact through:

- the lowest carbon footprint, and
- achieving real water and energy savings.

## Billi is committed to:

- Exceed environmental legislation targets and set industry standards.
- Build partnerships with specifiers and end users who share our values.
- Consider the impact on future generations in all our business decisions.





Booking.com, Head Office  
The Monument Building, London

# Your benefits



## Energy Saving

### Recovery, recycling and saving

A technological breakthrough in energy efficient appliance design, Billi's unique heat exchange system uses change-of-state technology allowing a large amount of heat to be absorbed and stored. Typically this heat generated during the chilling cycle is wasted to the atmosphere. Billi recovers this waste heat energy to preheat the boiling water enabling our systems to achieve substantial energy savings.

### 7 day time-switch

An inbuilt 7 day time switch ensures the system is running only when it is needed, eliminating unnecessary out-of-hours power consumption.

### Stand-by mode

An energy saving stand-by mode can be selected to activate after a preset time of non use. The Billi will power down to conserve power.

### No cupboard ventilation

Water-cooled systems do not require cupboard ventilation or a cooling fan.

## Under Counter Technology

### Space saving unit size

With a focus on space saving, Billi systems are often less than half the size of comparative products, allowing you to make the most of the available area.

### Automatic boiling water calibration

Because boiling point varies by altitude, Billi systems identify the boiling point during the start up mode and sets the temperature accordingly to ensure your boiling water is as close to boiling point as possible.

### Adjustable chilled water temperature

The chilled water temperature can be adjusted between 6°C and 15°C to suit the application.


## Safety and User Functionality

### Safety first

The red lock icon demonstrates when the safety switch is activated. Simply press the switch to release the lock and depress or raise the left hand lever to dispense boiling water. It will revert to safety mode after 8 seconds of non use.

### Tap swivel feature

A unique swivel action allows you to swing the dispenser out of the way if you need more sink space.



# Dual-temp dispenser technology and design options

Now available in a range of stunning colours.



#### Levered dispenser option

The levered dispenser is streamlined and elegant. It is simply operated with position-sensitive levers.

#### Integrated font option

The new integrated flush mount font is the perfect addition to the new tap creating the ultimate in modern, clean styling.



#### Touch dispenser option

The touch dispenser is an innovative, contemporary tap, with no levers to interfere with the clean, sophisticated style. It has an operation panel on the top of the tap.

#### Dispenser riser options

70mm risers are available to suit all dual temp dispensers with or without font, allowing use with tall jugs and bottles.



#### Remote dispenser option

The remote option is another version of the lever free tap; however the operation panel is located away from the tap. This can be installed in your desired position to meet design requirements.

#### Colour options

Please see page 19 for all finishes and colour options.



# Premium filtration




## —Advanced filtration technology


Billi have partnered with global organisation Pentair, to create the most technologically advanced filtration for instant boiling and chilled filtered water systems. The new filters use Fibredyne™ technology which is fibrous and matted together, increasing the surface area of the carbon. This means there is greater contact time and improved quality of filtration.




## 5 stage filtration




**Sediment**  
Filters out particles in the water




**Chemical**  
Removes 99.9% of chemical such as chlorine and ammonia



**Mineral**  
Enables minerals to flow through the appliance without allowing scale build up



**Bacteria**  
Kills harmful bacteria such as giardia and cryptosporidium



**Chloramine**  
Filters chloramines from the water



## —Replacement filters

Periodic replacement of filter cartridges is necessary to maintain water quality. Genuine replacement Billi filter cartridges are available online at [www.billi-uk.com](http://www.billi-uk.com) and from your local approved supplier. Cartridges are also available to suit the needs of different water supply areas. Billi recommend using premium sub micron filtration in bad water quality areas.

## —Easy change replacement filter

Replacing your filter cartridge is simple. Flashing amber dispenser icons indicate when replacement is due. The swing change filter simply swings forward and slides off. Fitting the new filter is just as easy – simply slide the filter in and swing it back. The cartridge locks into place.

## Filter options and product codes

Specifications	Standard	Sub Micron	Premium
Part number	994001	994002	994003
Suitable for:	All Billi Systems	All Billi Systems	All Billi Systems
Micron rating	5.0	0.5 (0.2 <sup>1</sup> )	1.0
Filter Life	12 Months or 30,000 Litres*	12 Months or 30,000 Litres*	12 Months or 6,000 Litres*
Unit flow rate – lpm	2.5	2.5	2.5
Tested to NSF42	Yes	Yes	Yes
Tested to NSF53	No	Yes	Yes
Retains fluoride	Yes	No	No

\*Depending on the quality of water and amount of use. <sup>1</sup>As tested by Pentair.





# Scale management

## —Scale management

A large area of the UK is affected by limescale in the water supply. In the areas of Hard and Medium, shown on the map below, the Billi appliance warranty is only valid if a scale filter has been fitted. The filter size should be specified to suit the size of the unit, level of use and the hardness of the water.

Billi's unique scale management system filters only the water on the way to boiling tank allowing necessary treatment to occur on the high risk boiling side without affecting the taste of the chilled water.

Our choice of filter with its new water filtration and conditioning technology is the world's first filter system to effectively combine hardness reduction, mineral stabilisation and corrosion inhibition by maintaining a controlled low carbonic acid level in the water.


As a result, it delivers the best available water quality while preventing scale formation in machines and inhibiting metal migration (corrosion) of sensitive machine parts across the widest range of water hardness levels.

Billi's scale filters with large capacity to space ratio and compact dimensions has the ability to be mounted horizontally or vertically.

With very low pressure loss, our filter is the ideal choice at locations with low mains pressure.

## —Scale filter options & product codes

Product code	Description	Grade	To Suit	Height mm	Dia. mm	Weight kg
693973	Limescale control filter kit	Heavy commercial	Quadra 460, 4100, Quadra Plus, Sahara 360	410	136	3.2
693983	Replacement limescale control filter	Heavy commercial	Quadra 460, 4100, Quadra Plus, Sahara 360	360	136	3.2
693972	Limescale control filter kit	Normal commercial	Quadra Compact, Quadra 440	475	95	1.8
693982	Replacement limescale control filter	Normal commercial	Quadra Compact, Quadra 440	425	95	1.8
693971	Limescale control filter kit	Light commercial	Eco, Sahara 310	365	95	1.3
693981	Replacement limescale control filter	Light commercial	Eco, Sahara 310	315	95	1.3



# Sparkling Systems

Instant boiling, chilled and sparkling systems.  
The popular Eco, Quadra and Quadra Plus units, now available with the sparkling option

## Specifications

Product code	Model	Initial cup delivery and suggested no. of persons	Boiling water delivery cups per hour <sup>**</sup>	Chilled water delivery cups per hour	Total current draw amps	Height mm	Width mm	Depth mm
Instant Boiling, Chilled and Sparkling Filtered Water System - XL Chrome tap								
903000	Eco Sparkling	10	90	60	2 x 13	C&S Boiling 420 340	180 180	460 360
903060	Quadra Sparkling	60	180	150	2 x 13	C&S Boiling 420 340	180 180	460 460
Instant Boiling, Chilled and Sparkling Filtered Water and Hot Water System - XL Chrome tap plus Sink Mixer								
903065	Quadra Plus Sparkling	60	180	150	2 x 13	C&S Boiling 420 340	180 180	460 460
Instant Chilled Sparkling Filtered Water System - Round Slimline Chrome tap								
933122	Alpine Sparkling 120	20	120	150	13	C&S 420	180	460



# Sparkling dispenser options



Standard XL levered Dispenser on Font - Chrome  
\*Font is an optional accessory.




XL Levered Dispenser  
- Brushed Option



XL Levered Dispenser  
- Black Option




XL Levered Dispenser  
- Matt Black Option



XL Lime Green Taps  
- New for 2016 (See page 7)



XL Rose Gold Taps  
- New for 2016 (See page 7)



Standard Round Streamline Dispenser  
on Font - Chrome.  
\*Font is an optional accessory



Sony Computer Entertainment Europe  
Head Office, London

# Boiling & chilled and boiling & ambient systems

## Instant boiling and chilled filtered water systems

Leading the Billi range, the Eco and Quadra boiling and chilled drinking water systems are space saving, efficient & elegant. The functional style is designed for high use and meets UK Green Building Council principals – providing you with the ultimate in environmentally sensitive appliances.

## Specifications

Product code	Model	Initial cup delivery and suggested no. of persons	Boiling water delivery cups per hour **	Chilled water delivery cups per hour	Total current draw amps	Height mm	Width mm	Depth mm
901000	Eco	10	90	60	13	340	180	500
904010	Quadra Compact	up to 20	100	150	13	340	315	365
904040	Quadra 440	up to 40	150	175	13	340	315	465
904060	Quadra 460	up to 60	180	175	13	340	315	465
904100	Quadra 4100	up to 100	250	175	20	340	315	465

## Instant boiling and ambient filtered water systems

As an option to the boiling and chilled system, the Sahara dispenses filtered boiling water and an unlimited source of ambient filtered water.

## Specifications

Product code	Model	Initial cup delivery and suggested no. of persons	Boiling water delivery cups per hour **	Ambient water cups per hour	Total current draw amps	Height mm	Width mm	Depth mm
943010	Sahara 310	10	90	unlimited	13	340	180	360
943020	Sahara 320	20	110	unlimited	13	340	180	460
943060	Sahara 360	60	180	unlimited	13	340	180	460

1 cup = 170ml. \*\* Based on the initial number of cups of boiling water immediately available, drawn at one cup every 10 seconds. Consideration may be needed for usage patterns and draw-off methods.



# Dual temp dispenser options



Standard XL levered Dispenser on Font - Chrome  
\*Font is an optional accessory.



XL Levered Dispenser  
- Brushed Option



XL Levered Dispenser  
- Black Option




XL Levered Dispenser  
- Matt Black Option



XT Touch Dispenser  
- Chrome Option



XR Remote Dispenser with panel  
- Chrome Option



# Plus systems. Boiling & chilled systems plus hot water to sink mixer tap

## Instant boiling and chilled filtered water system plus sink mixer tap

Enjoy all the benefits of Billi's boiling and chilled system and more. The Quadra Plus eliminates the need for an under counter hot water service. It is the ideal solution where only a cold water supply is available, as it features a separate sink mixer tap which draws hot water off the Billi unit allowing it to function as the hot water service for the mixer tap as well as providing boiling and chilled drinking water through the Billi dispenser.

## Specifications

Product code	Model	50° hot water capacity litres	50° hot water delivery litres per hour **	Boiling water delivery cups per hour	Chilled water delivery cups per hour	Current draw amps	Height mm	Width mm	Depth mm
904065	Quadra Plus 9	9	60	180	175	13	340	315	465
904105	Quadra Plus 15	15	85	250	175	20	340	315	465

1 cup = 170mL. Based on the initial number of cups of boiling water immediately available, drawn at 1 cup every 10 seconds. Consideration may be needed for usage patterns and draw-off methods.

\*\* A reserve of boiling water is still available after hot water is fully drawn.




Pantheon Ventures, Head Office  
Finsbury Square, London

# Dual temp dispenser and mixer tap options

---



XL Levered Dispenser and Standard Mixer – Chrome



Gooseneck Mixer  
– Chrome Option




Standard Mixer  
– Chrome



XT Touch dispenser  
– Chrome Option



XR Remote Dispenser with panel  
– Chrome Option



# Chilled & ambient systems

## Instant chilled filtered water systems

Never run out of chilled filtered water with the Billi Alpine system. Providing a constant stream of fresh filtered chilled water the Billi Alpine offers easy installation, low power consumption with premium filtration and a choice of dispensers.

## Specifications

Product code	Model	Dispenser type	Initial cup delivery and suggested no. of persons**	Chilled water delivery cups per hour	Current draw amps	Height mm	Width mm	Depth mm
932120	Alpine 120	Round Slimline	20	120	13	340	180	460
932125	Alpine 125	XL Chrome	20	120	13	340	180	460

1 cup = 170mL. Based on the initial number of cups of chilled water immediately available, drawn at 1 cup every 10 seconds. Consideration may be needed for usage patterns and draw-off methods.





# Slimline dispenser options



Standard Round Slimline Dispenser on Font – Chrome  
\*Font is an optional accessory



Square Slimline Dispenser  
– Chrome Option




Alpine 125 only



Round Slimline Dispenser  
– Brushed Option



Round Slimline Dispenser  
– Black Option



Oktra, Head Office  
High Holborn, London

# Specification and guide to model selection

Step 1	Step 2	Step 3										
<b>Combination</b> Decide which output option you would like.	<b>Capacity</b> Confirm how many people each system is going to service.	<b>Model</b> Select the model based on the number of people it is going to service.										
System combinations	Initial cup delivery and suggested no. of persons	Product Code	Model Name	Boiling delivery cups / hr	Chilled delivery cups / hr	Sparkling delivery cups / hr	Unlimited Ambient	50°C hot water delivery litres / hr	Power Amps	Height mm	Width mm	Depth mm
Boiling and Chilled	10	901000	Eco XL	90	60	-	-	-	13	340	180	500
	20	904010	Quadra Compact XL	100	150	-	-	-	13	340	315	365
	40	904040	Quadra 440 XL	150	175	-	-	-	13	340	315	465
	60	904060	Quadra 460 XL	180	175	-	-	-	13	340	315	465
	100	904100	Quadra 4100 XL	250	175	-	-	-	20	340	315	465
Boiling, Chilled and Sparkling	60	903060	Quadra Sparkling	180	150	150	-	-	2x13 C&S Boiling	420 340	180 180	460 460
Boiling and Chilled + Mixer Tap	60	904065	Quadra Plus 9 XL	180	175	-	-	60	13	340	315	465
	100	904105	Quadra Plus 15 XL	250	175	-	-	85	20	340	315	465
Boiling, Chilled and Sparkling + Mixer Tap	60	903060	Quadra Sparkling Plus	180	150	150	-	-	2x13 C&S Boiling	420 340	180 180	460 460
Boiling and Ambient	10	943010	Sahara 310 XL	90	-	-	Yes	-	13	340	180	360
	20	943020	Sahara 320 XL	110	-	-	Yes	-	13	340	180	460
	60	943060	Sahara 360 XL	180	-	-	Yes	-	13	340	180	460
Chilled	20	932120	Alpine 120 R	-	120	-	-	-	13	340	180	460
Chilled and Ambient	20	932125	Alpine 125 XL	-	120	-	-	-	13	340	180	460
Chilled and Sparkling	10	933122	Alpine Sparkling 120 R	-	150	150	-	-	13	420	180	460

Please note, Quadra Sparkling consists of two modules, the Chilled and Sparkling (C&S), and the Boiling module.



## Step 4 (optional)

### Dispenser and finish

If you require a dispenser other than the standard Chrome XL levered tap, select the item from part numbers below.

Model Name	Product Code	Brushed Option	Gloss Black Option	Matte Black Option	To suit
XL Levered Dispenser – Chrome	Standard	992011	992012	992013	Eco, Quadra, Sahara, Plus Systems, Alpine 125 & Quadra Sparkling
XT Touch Dispenser – Chrome	992020	992021	992022	992023	Eco, Quadra, Sahara, Plus Systems, Alpine 125
XR Remote Dispenser with Panel – Chrome	992030	992031	992032	992033	Eco, Quadra, Sahara, Plus Systems, Alpine 125
Pin Lever Mixer option – Chrome	912150	992151	992152	992153	Plus Systems
Gooseneck Mixer option – Chrome	992120	992121	992122	992123	Plus Systems
Disabled Lever – Chrome	982131	–	–	–	Plus Systems
Round slimline tap option – Chrome	992130	992131	992132	992133	Alpine 120
Square slimline tap option – Chrome	992140	992141	992142	992143	Alpine 120


## Step 5 (optional)

### Accessories

If you require any accessories, select the item from part numbers below.

Model Name	Product Code	Brushed Option	Gloss Black Option	Matte Black Option	To suit
XI Font incl 70mm dispenser riser – Chrome	992800	992801	992802	992803	Eco, Quadra, Sahara, Plus Systems, Alpine 125 & Quadra Sparkling
XI Font incl 120mm dispenser riser – Chrome	992803	992804	992805	992809	Eco, Quadra, Sahara, Plus Systems, Alpine 125 & Quadra Sparkling
XI Slimline Font – Chrome	992810	992811	992812	992813	Alpine 120
XI Dispenser riser 70mm – Chrome	992820	992821	992822	992823	Eco, Quadra, Sahara, Plus Systems, Alpine 125 & Quadra Sparkling
XI Dispenser riser 120mm – Chrome	992830	992831	992832	992833	Eco, Quadra, Sahara, Plus Systems, Alpine 125 & Quadra Sparkling
Tubing & Mixer Extension Kit 1.8m	990714	–	–	–	Plus systems
Tubing Extension Kit 2.0m	990720	–	–	–	Eco, Quadra, Sahara, Plus Systems, Alpine 125
Tubing Extension Kit 2.0m	990724	–	–	–	Alpine 120
Booster Pump Kit	986411	–	–	–	Quadra, Quadra Plus

	XL Tap Body	Levers	XT Touch Tap	XR Remote Tap	Mounting Plate	Riser 70mm	Riser 120mm	Font to match	Alpine 120 R or S	Alpine Sparkling	Plus Mixer – Gooseneck
<b>Gloss White</b>	Gloss White	Chrome	–	–	Chrome	Gloss White	Gloss White	Chrome	–	–	–
<b>Red</b>	Red	Chrome	–	–	Chrome	Red	Red	Chrome	–	–	–
<b>Rose Gold</b>	Rose Gold	Rose Gold	Rose Gold	Rose Gold	Rose Gold	Rose Gold	Rose Gold	Rose Gold	Rose Gold	–	Rose Gold
<b>Glorious Gold</b>	Glorious Gold	Chrome	–	–	Chrome	Glorious Gold	Glorious Gold	Chrome	–	–	–
<b>Black</b>	Black	Chrome	–	–	Chrome	Black	Black	Chrome	–	–	–
<b>French Blue</b>	French Blue	Chrome	–	–	Chrome	French Blue	French Blue	Chrome	–	–	–
<b>Grape</b>	Grape	Chrome	–	–	Chrome	Grape	Grape	Chrome	–	–	–
<b>Lime Green</b>	Lime Green	Chrome	–	–	Chrome	Lime Green	Lime Green	Chrome	–	–	–
<b>Bright Chrome</b>	Bright Chrome	Chrome	Bright Chrome	Bright Chrome	Chrome	Bright Chrome	Bright Chrome	Chrome	Bright Chrome	Bright Chrome	Bright Chrome
<b>Brushed Chrome</b>	Brushed Chrome	Brushed Chrome	Brushed Chrome	Brushed Chrome	Brushed Chrome	Brushed Chrome	Brushed Chrome	Brushed Chrome	Brushed Chrome	–	Brushed Chrome
<b>Matt Black</b>	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	–	Matt Black
<b>Matt White</b>	Matt White	Chrome	–	–	Chrome	Matt White	Matt White	Chrome	–	–	–
<b>Gloss Black</b>	Gloss Black	Gloss Black	Gloss Black	Gloss Black	Gloss Black	Gloss Black	Gloss Black	Gloss Black	Gloss Black	–	Gloss Black



# Customer service and after sales support

---

## Commitment to service

Customer service is a priority to Billi and our service division has a large network of trained service staff, covering all areas of the UK.

## Maintenance options

Extended warranty, maintenance and filter contracts are available. For further information call Billi's national service centre on 020 7456 6789.

## Service friendly

'Ease of service' is an important consideration in all of Billi's product design. Items which require periodic servicing are easily accessed without the need to remove the unit from the cupboard.



## National Service Centre

**Phone** 020 7456 6789

**Email** [client.care@billi-uk.com](mailto:client.care@billi-uk.com)

# Warranty and certifications

---

## Standard warranty

All components of the systems are covered by a 24-month warranty. Full warranty details at [www.billi-uk.com](http://www.billi-uk.com). Filter cartridges are a consumable and are not covered by warranty, as water conditions and usage vary.

## Commitment to quality

A strong commitment to quality is as important to Billi as style, function and innovation. Recognising the importance of reliability to customers, all Billi water systems are manufactured to strict quality standards and built to last. Every system is designed to provide the highest possible standards of efficiency and energy savings.

## Certifications

Every Billi drinking water appliance is manufactured under a certified quality control system. They have been tested and comply with all required standards. Billi Eco, Quadra, Quadra Plus, and Sahara systems are tested to and comply with; Watermark Licence Number 21525; AS3498; AS/NZS 4020. WRAS approved on filters and fittings. WRAS Certificate No 1512052. Billi Alpine systems are tested to and comply with; Watermark Licence Number 21881; ATS 5200:105:2005.





Ocado, Head Office  
Trident Place, Hatfield

# Installation specifications

## Easy installation

The dual temp dispenser features a unique top mounting system, making it simple to install. There is no need to reach up behind sink bowls to secure clamps or tubes – the 'snap-fit' base is secured into the mounting hole, pipework is fed through from the top and the dispenser securely clips into place. The slimline dispenser installation is just as simple. Colour coded flexible tubing and easy connect fittings ensure a rapid and trouble-free install.

## Water supply

A single 15mm stop-tap with a thread (appliance type) should be installed in an easily accessible position. The water supply must be microbiologically safe to drink, with a minimum dynamic water pressure of 2.5 bar.


## Power supply

All Billi systems require a standard 13 amp power supply with the exception of the Quadra 4100 and Quadra Plus 15 which requires a 20amp power supply. Each 13 amp unit is supplied with a 1 metre flex cord and plug.


The 20 amp units are supplied with 1 metre flex cord to be wired into a fused spur.

The Eco Sparkling and Quadra Sparkling require 2 nr. 13 amp power supplies.


Installation guides available at [www.billi-uk.com/resources/downloads](http://www.billi-uk.com/resources/downloads)




Preferred Eco, Quadra & Sahara installation layout




Preferred Quadra Plus installation layout




Preferred Alpine installation layout



XL Levered tap dimensions



Font dimensions



Preferred Eco & Quadra Sparkling Installation layout

Requires cupboard width of 600mm minimum



**Billi**<sup>™</sup>

Synergy House  
Fakenham Road  
Morton  
Norwich  
NR9 5SP

London Showroom  
Synergy London  
15 Dufferin Street  
London  
EC1Y 8PD

**Contact us:**

[www.billi-uk.com](http://www.billi-uk.com)  
+44 (0)20 7456 6789  
[sales@billi-uk.com](mailto:sales@billi-uk.com)